



AT1200 TOW | Electric Tug

The All-Terrain AT1200 TOW electric tug is perfect for safely towing loads where weight transfer is not possible, up to 12,000 kg. The tug is self-weighted and compact, providing excellent traction for effortless load towing whilst attaching to any load with a draw bar, towing eye or ball hitch fitting. It can be used inside or outside, including on slopes and less than perfect surfaces.




# **KeyBenefits**


### 1 year full guarantee


- FEA tested steel chassis
- Internal weight packs

• Optimised size, puncture -proof wheels

# **ProductDimensions**







# **SafetyFeatures**

### See our website for full technical details



Automatic cut off when tiller arm returns to vertical



Anti-crush button



Emergency stop button



Warning horn

# **MaxLoadWeight**

### See our website for full technical details



kg\*



\*"Maximum load weight" is only a recommendation that we arrive at by estimating rolling resistance. Your environment and wheel type may affect this figure which is why we carry out a detailed technical evaluation on every project. All of our calculations include a "safe work load" factor to ensure safe operation in all circumstances.

# **PerformanceData**

#### See our website for full technical details

Perform	mance	data
---------	-------	------

AT1200 TOW
12000 kg
48000 kg
1350 kg
Electric AC
Electromagnetic
Superelastic Solid Rubber
2 x 2.0 kW
AC
0-6kph
IP44

#### **Battery data**

Battery pack - sealed - 204Ah 24V - Interchangeable Battery pack - sealed - 179 Ah 24V - Interchangable Battery pack - lithium - 158 Ah 24V - fixed

# **Additional equipment**

Option - flashing safety light and motion bleeper

Option - two speed selector switch

Option - fifth wheel

Option - wireless control handset

Option - battery protection system

Option - Lithium battery

### Male coupling options

Coupling - male - pin

Coupling - male - height adjustable tow ball - 50mm

Coupling - male - height adjustable box

Coupling - male - adjustable towing arm

Coupling - male - height adjustable tow ball - 50mm

Coupling - male - height adjustable box

#### **Female coupling options**

Coupling - female - box

To arrange a demonstration, or for further information about our electric tug material handling solutions, please contact us

Airfield Industrial Estate, Moor Farm Road, Ashbourne, Derbyshire, DE6 1HD, United Kingdom

Telephone Sales: 01335 301 030 Email: sales@mastermover.com

Fax: Website: www.mastermover.com



# **AboutUs**

Located in Derbyshire, the UK's manufacturing hub, MasterMover is a British business success story with customers all over the world.

Our products are relied upon by market leading organisations and global brands across a broad cross-section of industries including Aerospace, Automotive, Pharmaceutical, Retail and Healthcare.

