



AT200 TOW | Electric Tow

The AT200 TOW is perfect for safely towing loads where weight transfer is not possible, up to 2,000 kg. Attaching to any load with a draw bar, towing eye or ball hitch fitting is easy thanks to the coupling crawl function. This allows the operator to move the machine slowly and connect simultaneously. Controlled start acceleration gets the load moving safely and power steering provides effortless manoeuvrability.

### Industries

#### Suitable for use in a wide range of applications and sectors







Manufacturing and Assembly

Healthcare

Aerospace Manufacturing


### **KeyBenefits**


#### 1 year full guarantee


- FEA tested steel chassis
- 2 Drive motors

Internal weight packs

### **ProductDimensions**







## **SafetyFeatures**

See our website for full technical details



Automatic cut off as tiller arm returns to vertical



Anti-crush button



Emergency stop button



Warning horn

# **MaxLoadWeight**

#### See our website for full technical details



kg\*



\*"Maximum load weight" is only a recommendation that we arrive at by estimating rolling resistance. Your environment and wheel type may affect this figure which is why we carry out a detailed technical evaluation on every project. All of our calculations include a "safe work load" factor to ensure safe operation in all circumstances.

### **PerformanceData**

### See our website for full technical details

Per	for	ma	nce	data

Product code	AT200 TOW
Recommended load weight - Castors	2000 kg
Recommended load weight - Rails	8000 kg
Machine weight including battery	293 kg
Drive type	Electric DC
Parking brake	Electromagnetic
Drive wheel type	Puncture-proof
Drive motor power	2 x 0.4 kW
Controller type	DC
Variable machine speed	0.1 km/h - 5.4 km/h
Ingress Protection	IP44

#### **Battery data**

Battery pack - sealed - 28Ah 48V - interchangeable

### **Charging options**

Charger - external - 5A 48V - 230V Charger - external - 5A 48V - 115V

### **Additional equipment**

Option - flashing safety light and motion bleeper

Option - Fifth wheel

Option - machine crawl coupling assist

### Male coupling options

Coupling - male - pin

Coupling - male - 50mm tow ball

Coupling - male - height adjustable box

### Female coupling options

Coupling - female - box

To arrange a demonstration, or for further information about our electric tug material handling solutions, please contact us

Airfield Industrial Estate, Moor Farm Road, Ashbourne, Derbyshire, DE6 1HD, United Kingdom

Telephone Sales: 01335 301 030 Email: sales@mastermover.com

Fax: Website: www.mastermover.com



### **AboutUs**

Located in Derbyshire, the UK's manufacturing hub, MasterMover is a British business success story with customers all over the world.

Our products are relied upon by market leading organisations and global brands across a broad cross-section of industries including Aerospace, Automotive, Pharmaceutical, Retail and Healthcare.

