

Electric Powered Tug

The MasterTug MT400+ is designed to allow a single pedestrian operator to easily push, pull and steer wheeled loads weighing up to a maximum of 4,000 kg. As part of the MasterTug range, the MT400+ utilises hydraulics for traction, an AC drive motor for power and a dual secured mast for strength. The tug's battery monitoring system alerts the operator to the remaining charge and the option of an interchangeable battery allows the tug to be used 24 hours a day.

Industries

Suitable for use in a wide range of applications and sectors





1 year full guarantee





Plastic and Metal Extrusion

Chemical

Glass

Wind Turbines


KeyBenefits


- Battery monitoring system
- FEA tested steel chassis


ProductDimensions

• Dual secured mast

- AC drive motor
 - Self-adjusting castor guard
 - Hydraulic weight transfer








SafetyFeatures

See our website for full technical details



Self-adjusting castor guard for foot protection








Anti-crush button



Emergency stop button

MaxLoadWeight

See our website for full technical details



*"Maximum load weight" is only a recommendation that we arrive at by estimating rolling resistance. Your environment and wheel type may affect this figure which is why we carry out a detailed technical evaluation on every project. All of our calculations include a "safe work load" factor to ensure safe operation in all circumstances.

Performance data

| Product code | MT400+ |
|-----------------------------------|-------------------|
| Recommended load weight - Castors | 4000 kg |
| Recommended load weight - Rails | 16000 kg |
| Machine weight including battery | 305 kg |
| Drive type | Electric AC |
| Parking brake | Electromagnetic |
| Drive wheel type | Polyurethane |
| Drive motor power | 1 kW |
| Controller type | AC |
| Variable machine speed | 0.1 km/h - 5 km/h |
| Ingress Protection | IP44 |

Battery data

| Battery pack - sealed - | 102Ah 24V - | interchangeable |
|-------------------------|-------------|-----------------|
| Battery pack - sealed - | 119Ah 24V - | interchangeable |

Charging options

Charger - external - 10A 24V - 110V-240V Charger - external - 20A 24V - 110V-240V

Additional equipment

| Option - flashing safety light and motion bleeper |
|---|
| Option - two speed selector switch |
| Option - wireless control handset |
| Option - combi lock |
| Option- battery protection system |
| Option - quick release coupling pins |
| |
| Male coupling options |

Coupling - male - height adjustable combi - medium Coupling - male - height adjustable box - medium Coupling - channel coupling body

Female coupling options

| Coupling - female - combi - medium | | |
|------------------------------------|--|--|
| Coupling - female - box - medium | | |

To arrange a demonstration, or for further information about our electric tug material handling solutions, please contact us

Airfield Industrial Estate, Moor Farm Road, Ashbourne, Derbyshire, DE6 1HD, United Kingdom **Telephone Sales:** 01335 301 030 **Email:** sales@mastermover.com **Fax: Website:** www.mastermover.com



AboutUs

Located in Derbyshire, the UK's manufacturing hub, MasterMover is a British business success story with customers all over the world.

Our products are relied upon by market leading organisations and global brands across a broad cross-section of industries including Aerospace, Automotive, Pharmaceutical, Retail and Healthcare.

